

Pulsify S

Overhead shower 260 2jet EcoSmart with wall connector

Finish: **Matt Black** Article Number: **24151670**



Description

product features

- consists of: overhead shower, wall connector
- shower head size: 260 mm
- spray type: PowderRain, Intense PowderRain
- flow rate PowderRain spray at 3 bar: 7,8 l/min
- flow rate Intense PowderRain at 3 bar: 7,1 l/min
- function from: 6 l/min
- maximum flow rate at 3 bar: 7,8 l/min
- minimum flow pressure: 1,6 bar
- Fast Drain empties the overhead shower from an angle of 10°
- ball-joint: ball-joint for easy angle adjustment, variable from 15 - 36°
- material spray disc: plastic
- spray disc surface: graphite
- overhead shower removable for cleaning
- installation: wall-mounted - based on iBox
- connection type: basic set
- not suitable for continuous flow water heaters
- EU taxonomy: max. 8 l/min - Do No Significant Harm (DNSH)

Technology



Design awards




reddot winner 2021


Certificates / Sustainability



Product image




Scale drawing



Pulsify S
Overhead shower 260 2jet EcoSmart with wall connector
Finish: Matt Black Article Number: 24151670



Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Pulsify S
Overhead shower 260 2jet EcoSmart with wall connector
 Finish: **Matt Black** Article Number: **24151670**



Installation examples

