

Basic set for thermostatic module Select for 2 functions

Finish: Article Number: **18310180**



product features

- 2 functions
- connection thread: Rp ¾
- connection dimension: DN15/DN20
- horizontal installation
- sound-decoupled installation
- minimum mounting depth: 94 mm
- maximum mounting depth: 122 mm


Certificates / Sustainability



Product image



Scale drawing



Basic set for thermostatic module Select for 2 functions




Finish: Article Number: **18310180**



Installation examples

AXOR Select

1831018X/18355XXX




Basic set for thermostatic module Select for 2 functions

Finish: Article Number: 18310180



Exploded Drawing

Year of production: >10/17



Basic set for thermostatic module Select for 2 functions

Finish: Article Number: **18310180**



Spare part list

Year of production: >10/17

Pos.		Article Number	PC	PU
1	O-ring 15x2	98163000	1	1
2	O-ring 38x2,5	98198000	2	1
3	O-ring 34x2	98383000	2	1
4	sleeve	87898000	7	1
5	O-ring 20x2	98165000	1	1
6	O-ring 21,95x1,78	95169000	1	1
7	O-ring 20x1,5	98197000	1	1
8	O-ring 18x2	98181000	2	1
9	O-ring 13x2	98128000	1	1
a	extension 25 mm	93432000	19	1